

OIL VANISHER MSDS

MATERIAL SAFETY DATA SHEET

CLIFT INDUSTRIES, INC. CHEMTREC: 800-424-9300
 CORPORATE: 800-996-9901 HAZARD RATING
 PO BOX 67153 1= Slight
 CHARLOTTE, NC 28226 2= Moderate
 3= High
 4= Extreme
 0= Insignificant

H.M.I.S. RATING	
HEALTH	1
FIRE	0
REACTIVITY	0
P.P.E	B

I. PRODUCT IDENTIFICATION:

OIL VANISHER
 COMMON NAME: CLEANING COM-
 POUND
 GENERIC NAME: CLEANER
 CHEMICAL: MIXTURE

II. HAZARDOUS INGREDIENTS:

Ingredients	CAS	%	OSHA PEL	ACGIH TLV
DOES NOT CONTAIN ANY HAZARDOUS INGREDIENTS				

III. PHYSICAL/CHEMICAL CHARACTERISTICS:

BOILING POINT:	212	APPEARANCE:	AMBER
SPECIFIC GRAVITY:	1.0031	FORM:	LIQUID
MELTING POINT:	N/D	ODOR:	BLAND
EVAPORATION RATE:	N/D	VAPOR DENSITY:	N/D
SOLUBILITY (H ₂ O, 25C)	SOLUBLE	pH:	7
VOLATIZES CONTENT:	93	VOC (g/L)	ND

IV. FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT: DEGREES F > 200f More than 200F, less than 300F
 LEL: N/D UEL: N/D
 AUTOIGNITION TEMPERATURE: N/D
 EXTINGUISHING MEDIA: Product is water-based and will not support flames. Water may be used to cool fore-exposed containers. Wear self-contained breathing apparatus with full facepiece.

UNUSUAL FIRE/EXPLOSION HAZARDS: Closed containers exposed to heat may rupture due to pressure. buildup.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon oxides, hydrocarbons, steam.

V. REACTIVITY:

STABILITY: Stable
 CONDITIONS TO AVOID: None known

VI. HEALTH HAZARDS:

ROUTES AND INDICATIONS OF EXPOSURE

EYES: May cause irritation to eyes.
 SKIN: Good industrial hygiene recommended.
 INHALATION: N/A
 INGESTION: May cause irritation.
 TOXICITY DATA: None as listed by OSHA, NTP, IARC or EPA

EMERGENCY FIRST AID:

EYES: Flush eyes for fifteen minutes with water. Seek medical attention.
 SKIN: Wash exposed areas with soap and water.
 INHALATION: Remove victim to fresh air or oxygen supply. Administer artificial respiration if victim is unconscious. Seek medical attention if victim is overcome by vapors or breathing difficulty persists.
 INGESTION: Seek medical attention immediately. If conscious, give victim two glasses of water to dilute ingested material. Do not induce vomiting. If victim begins to vomit involuntarily, keep victim on side; monitor for breathing difficulty.

VII. SPILL, DISPOSAL PROCEDURES AND PRECAUTIONS:

HANDLING: Keep closed when not in use. Store at room temperature in well ventilated areas. Prevent product from freezing. Follow MSDS and Label warnings even after package is empty

IN CASE OF MATERIAL SPILLAGE: Wear protective equipment (Sec. VIII) Contain, retrieve spilled materials (absorb, pump, vacuum, shovel)

WASTE DISPOSAL: This material is NOT defined as hazardous by the Resource Conservation and Recovery Act. It is the product users responsibility to determine at the time of disposal, whether a material containing the product or derived form the product should be classified as a hazardous waste. (40 FR 261020-40). Spill and releases of this material are not reportable under S.A.R.A. (III) Sec. 313.

VIII. PERSONAL PROTECTIVE EQUIPMENT (P.P.E.):

PROTECTIVE EQUIPMENT: Wear safety glasses and impervious gloves.
 RESPIRATORY PROTECTION: Supplied-air respiratory protection is recommended for confined spaces. Product should be used only if sufficient ventilation is provided to prevent inhalation of vapors. Ensure exposure levels are maintained below TLV/PELS.
 ENGINEERING CONTROLS: Keep containers closed when not in use. Don not handle or store near strong oxidants.
 PERSONAL HYGIENE: Minimize inhalation of vapors. Avoid skin contact. Remove contaminated clothing and wash before reuse. Cleanse skin thoroughly after contact.

IX. REGULATORY INFORMATION:

D.O.T. SHIPPING NAME:	NON-REGULATED
D.O.T. Hazard Classification:	N/A
D.O.T. HAZARD CLASSIFICATION:	N/A
S.A.R.A. III Sec. 311 & 312:	N/A
S.A.R.A. III Sec. 313:	This material is NOT covered under Sara 313
R.C.R.A.:	NO
TSCA Registry:	YES